



3D WALL PANELS IN SOLID WOOD



INSTALLATION

- * Easy and quick to install: Use PVC wood glue and air compressor nailing to achieve the best result
- * Ideal wall covering products for indoor decoration

USE

- * Give an extra dimension to your walls and compliment just about any room in the house
- * Can be installed for residential and commercial use



3D WALL PANELS IN SOLID WOOD




Content

Oak	p3
Merbau	p3
Rubberwood	p4
Teak	p4

OAK (Quercus spp.)

Europe




Width mm	Thickness mm	Length mm	Finish	m ² / Box	m ² / Pallet	Profile
20	360	360	Natural	1,004 m ²	31,104 m ²	

MERBAU (Intsia bijuga)

Indonesia





Width mm	Thickness mm	Length mm	Finish	m ² / Box	m ² / Pallet	Profile
22	220	560	Natural	1,008 m ²	25,20 m ²	

RUBBERWOOD (Hevea spp.)

Malaysia, Vietnam, Indonesia



Width mm	Thickness mm	Length mm	Finish	m ² / Box	m ² / Pallet	Profile
22	220	560	Natural	1,008 m ²	25,20 m ²	
22	220	560	Black / Cubes	1,008 m ²	24,75 m ²	

TEAK (Tectona grandis)

Indonesia



Width mm	Thickness mm	Length mm	Finish	m ² / Box	m ² / Pallet	Profile
22	220	560	Natural	1,008 m ²	20,16 m ² 25,20 m ²	