


HARDWOOD MOULDINGS + FACADES



MOULDINGS IN TROPICAL HARDWOOD FOR INTERIOR AND EXTERIOR USE

WIDE RANGE OF STANDARD PROFILES

- * Asian and African tropical hardwoods
- * Compliant with the European Timber Regulation (EUTR)
- * Also available with eco-certificate (PEFC, FSC®)

PROS:

- * Excellent price / quality ratio
- * Stable and durable





DENDERWOOD

HARDWOOD MOULDINGS + FACADES



DDW

Content

Closed cladding

Profile WP1	p5
Profile WP11	p5
Profile WP111	p8
Profile WP21	p9
Profile WP31	p11

Open cladding

Parallelogram P	p12
Profile S4S E4S	p14

Poles

Start / endpole	p15
Middle pole	p15
Corner pole	p16
Pole S4S E4E	p17

Casings/doorframes/doorstops

Casing profile C6	p18
Casing profile C61	p21
Casing profile C2 / C3	p22
Casing profile C14	p23
Profile P1	p23
Doorstops S19	p24
Quarter round slats 19K	p26



HARDWOOD MOULDINGS + FACADES



Skirtings

Skirting profile P9	p27
Skirting profile P91	p29
Skirting profile P5	p30
Skirting profile P4	p30

Weatherboards

Profile S12	p31
Profile S13	p34
Profile M809	p34
Profile M803	p34



HARDWOOD MOULDINGS + FACADES





DENDERWOOD

HARDWOOD MOULDINGS
+ FACADES



DDW

Closed cladding

PROFILE - WP1



DARK RED MERANTI

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
12	94	Variable lengths: 2150 - 5200 / 6100	Greenline 100 % PEFC certified	WP1	Pallet in foil



PROFILE - WP11



AFRORMOSIA

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
15	145	<u>Variable lengths:</u> 2100 - 4200	A-Grade	WP11	5 pcs in foil
15	145	<u>Fixed lengths:</u> 1500-1550-1600-1850- 2150-2450 Heads T&G	A-Grade	WP11	5 pcs in foil

AFZELIA DOUSSIE BIPINDENSIS

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
15	130	<u>Variable lengths:</u> 800 - 4100	Prime	WP11	5 pcs in foil
15	145	<u>Variable lengths:</u> 2000 - 4000	Prime	WP11	5 pcs in foil
15	145	<u>Variable lengths:</u> 900 - 2000 Heads T&G	Prime	WP11	5 pcs in foil



PROFILE - WP11



DARK RED MERANTI

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
11	92	<u>Variable lengths:</u> 2150 - 6100	Greenline 100 % PEFC certified	WP11	10 pcs in foil
12	94	<u>Variable lengths:</u> 2150 - 5200 / 6100	Greenline 100 % PEFC certified	WP11	10 pcs in foil
12	118	<u>Variable lengths:</u> 2150 - 5200 / 6100 <u>Fixed lengths:</u> 2150 - 2450 - 2750 - 3050 - 3350 - 3650	Greenline 100 % PEFC certified	WP11	Per 10 in folie
15	94	<u>Variable lengths:</u> 2150 - 5200 / 6100	Greenline 100 % PEFC certified	WP11	5 pcs in foil
15	118	<u>Variable lengths:</u> 2150 - 5200 / 6100	Greenline 100 % PEFC certified	WP11	5 pcs in foil
15	145	<u>Variable lengths:</u> 2150 - 5200 / 6100	Greenline 100 % PEFC certified	WP11	5 pcs in foil
15	145	<u>Variable lengths:</u> 2150 - 5200 / 6100	Majau	WP11	5 pcs in foil
11	92	<u>Variable lengths:</u> 2150 - 6100	A-Grade	WP11	5 pcs with string
12	118	<u>Fixed lengths::</u> 2150 - 2450 - 2750 - 3050 - 3350	A-Grade	WP11	5 pcs with string
15	118	<u>Variable lengths:</u> 2150 / 6100 <u>Fixed lengths::</u> 2450 - 2750 - 3050 - 3350	A-Grade	WP11	5 pcs with string

PROFILE - WP11



IROKO

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
15	145	<u>Variable lengths:</u> 900 - 2500 Kops T&G	Prime	WP11	5 pcs in foil

SIPO

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
15	145	<u>Variable lengths:</u> 2100-5500	Prime	WP11	5 pcs in foil

PADOUK

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
15	120	<u>Variable lengths:</u> 2000 - 4200	Sorted	WP11	5 pcs in black foil
15	120	<u>Fixed lengths:</u> 900 - 1850 Heads T&G	Sorted	WP11	5 pcs in black foil
15	145	<u>Variable lengths:</u> 2000 - 4200	Sorted	WP11	5 pcs in black foil
15	145	<u>Fixed lengths:</u> 900 - 1850 Heads T&G	Sorted	WP11	5 pcs in black foil
15	165	<u>Variable lengths:</u> 2000 - 4200	Sorted	WP11	5 pcs in black foil
15	165	<u>Fixed lengths:</u> 900 - 1850 Heads T&G	Sorted	WP11	5 pcs in black foil
19	145	<u>Variable lengths:</u> 2000 - 4200	Sorted FSC 100 %	WP11	4 pcs in black foil
19	145	<u>Fixed lengths:</u> 900 - 1850 Heads T&G	Sorted FSC 100 %	WP11	4 pcs in black foil



PROFILE - WP111



DARK RED MERANTI

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
12	92	<u>Variable lengths:</u> 2150 - 5200 / 6100	Greenline 100 % PEFC certified	WP111	10 pcs in foil

PROFILE - WP21



DARK RED MERANTI

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
15	94	<u>Variable lengths:</u> 2450 - 6100	Greenline 100 % PEFC certified	WP21	5 pcs in foil
21	92	<u>Variable lengths:</u> 2150 - 6100	Greenline 100 % PEFC certified	WP21	4 pcs in foil
21	94	<u>Variable lengths:</u> 2150 - 6100 <u>Fixed lengths:</u> 2150-3350	A-Grade	WP21	10 pcs with string

MENKULANG

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
27	94	<u>Fixed lengths:</u> 2150 - 2450 - 2750 - 3050 - 3350 - 3650 - 3950 - 4250 - 4550	A-Grade	WP21	3 pcs with string



**HARDWOOD MOULDINGS
+ FACADES**



PROFILE - WP21



RED PALAPI

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
15	94	<u>Fixed lengths:</u> 2150 - 2450 - 2750 - 3050 - 3350 - 3650 - 4000	A-Grade	WP21	4 pcs with string



PROFILE - WP31

DARK RED MERANTI

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
20	145	<u>Variable lengths</u> 2150 - 6100	Greenline 100 % PEFC certified	WP31	4 pcs in foil

MERBAU

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
18	145	<u>Fixed lengths:</u> 2100 - 2400 Heads T&G	A-Grade	WP31	5 pcs in foil

RED PALAPI

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
17	140	<u>Fixed lengths:</u> 2150 - 2450 - 2750	A-Grade	WP31	5 pcs with string



Open cladding

PARALLELOGRAM - P



AFRORMOSIA

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
21	58	<u>Variable lengths:</u> 2150 - 3050	Prime	P2158	Pallet in foil

DOUSSIE

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
21	68	<u>Variable lengths:</u> 2150 - 4250	Prime	P2168	Pallet in foil
21	68	<u>Fixed length:</u> 5000	Prime / FJ	P2168 FJ	Pallet in foil



PARALLELOGRAM - P



PADOUK

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
19	68	<u>Variable lengths:</u> 2150 - 4550	Sorted	P1968	Pallet in foil
21	58	<u>Variable lengths:</u> 2150 - 4550	Sorted	P2158	Pallet in foil
21	68	<u>Variable lengths:</u> 2150 - 4550	Sorted	P2168	Pallet in foil
21	68	<u>Fixed length:</u> 5000	Sorted / FJ	P2168 FJ	Pallet in foil
35	45	<u>Variable lengths:</u> 2150 - 4550	Sorted	P3545	Pallet in foil



PROFILE - S4S E4E

AFRORMOSIA

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
21	58	<u>Variable lengths:</u> 900 - 3050	A-grade	S4S E4E	Shrinkwrapped

DARK RED MERANTI

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
18	70	<u>Variable lengths:</u> 2150 - 6100	A-grade	S4S E4E	

PADOUK

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
21	58	<u>Variable lengths:</u> 950 - 4550	Sorted FSC 100 %	S4S E4E	With string
21	85	<u>Variable lengths:</u> 950 - 4550	Sorted FSC 100 %	S4S E4E	With string



Poles

START / END POLE



YELLOW BALAU

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
90	90	<u>Fixed length:</u> 2700	A-Grade	Start / endpole	Pallet in foil

PIQUIA

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
90	90	<u>Fixed length:</u> 2000 / 2500 / 3000	A-Grade	Start / endpole	Pallet in foil

MIDDLE POLE



YELLOW BALAU

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
90	90	<u>Fixed length:</u> 2700	A-Grade	Middle pole	Pallet in foil

PIQUIA

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
90	90	<u>Fixed lengths:</u> 2000 / 2500 / 3000	A-Grade	Middle pole	Pallet in foil



CORNER POLE



YELLOW BALAU

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
90	90	<u>Fixed length:</u> 2700	A-Grade	Corner pole	Pallet in foil



POLE - S4S E4E



KEMPAS

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
90	90	<u>Variable lengths:</u> 2150 - 4900	A-Grade	S4S	

PADOUK

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
90	90	<u>Variable lengths:</u> 1250 - 4900	FAS	S4S E4E	

PIQUIA

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
70	70	<u>Fixed lengths:</u> 2050 / 3050	A-Grade	S4S B4B	
90	90	<u>Fixed lengths:</u> 2050 / 3050	A-Grade	S4S B4B	

YELLOW BALAU

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
90	90	<u>Fixed lengths:</u> 2150 / 2450 / 2750 / 3050 3350	A-Grade 100 % PEFC certified	S4S E4E	



Casings/doorframes/doorstops

CASING PROFILE - C6



BINTANGOR

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
11	68	Set: 1075 - 2150 1080 - 2300	A - Grade	C6	Set in foil



CASING PROFILE - C6



DARK RED MERANTI

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
11	68	<u>Variable lengths:</u> 2450 - 6100 / 2150 - 3650 <u>Set:</u> 1070 - 2150 <u>Fixed lengths:</u> 2300 / 2450	Greenline 100 % PEFC certified	C6	5 pcs in foil
12	68	<u>Set:</u> 1070 - 2150 1080 - 2300 <u>Fixed lengths:</u> 2300 / 2450 <u>Variable lengths:</u> 2450 - 6100	Greenline 100 % PEFC certified	C6	10 pcs in foil
15	68	<u>Variable lengths:</u> 2450 - 6100 <u>Set:</u> 1070 - 2150	Greenline 100 % PEFC certified	C6D15	5 pcs in foil
11	92	<u>Variable lengths:</u> 2450 - 6100 <u>Set:</u> 1070 - 2150 1080 - 2300	A-Grade	C6-94	10 pcs with string Set with string Set with string
11	68	<u>Variable lengths:</u> 2450 - 6100 <u>Set:</u> 1070-2150 1250-2450 <u>Fixed lengths:</u> 2150 / 2300 / 2450	A-Grade	C6	10 pcs with string
11	92	<u>Set:</u> 1070 - 2150 1080 - 2300 <u>Fixed length:</u> 2750	A-Grade	C6-94	10 pcs with string



DENDERWOOD

HARDWOOD MOULDINGS
+ FACADES



DDW

CASING PROFILE - C6



RED PALAPI

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
11	68	<u>Fixed length:</u> 2450 <u>Set:</u> 1075-2150 1075-2300	A-Grade	C6	5 pcs in foil Set in foil Set in foil



CASING PROFILE - C61

DARK RED MERANTI

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
12	50	<u>Set:</u> 1070 - 2150 1080 - 2300	Greenline 100 % PEFC certified	C61	Set in foil
12	68	<u>Variable lengths:</u> 2450 - 6100 <u>Set:</u> 1250 - 2450	Greenline 100 % PEFC certified	C61	10 pcs in foil
11	68	<u>Set:</u> 1070 - 2150 1080 - 2300	A-Grade	C61	Set with string



CASING PROFILE - C2 / C3



DARK RED MERANTI

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
12	68	<u>Set:</u> 1070-2150 1250-2450	Greenline 100 % PEFC certified	C2	Set in foil
12	92	<u>Variable lengths:</u> 2450-4900	Greenline 100 % PEFC certified	C3	10 pcs in foil
12	94	<u>Set:</u> 1080-2300 1250-2450	Greenline 100 % PEFC certified	C3	Set in foil
11	68	<u>Set:</u> 1070-2150	A-Grade	C2	Set with string
11	92	<u>Variable lengths:</u> 2450 - 6100	A-Grade	C3	10 pcs with string



CASING PROFILE - C14



DARK RED MERANTI

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
20	90	<u>Set:</u> 1070-2150 1080-2300 1250-2450	Greenline 100 % PEFC certified	C14	5 pcs in foil

PROFILE - P1



DARK RED MERANTI

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
14	80	<u>Variable lengths:</u> 2150 - 6100	Greenline 100 % PEFC certified	P1-14	5 pcs in foil
22	94	<u>Variable lengths:</u> 2150 - 6100	Greenline 100 % PEFC certified	P1-22	5 pcs in foil



DOORSTOPS - S19

DARK RED MERANTI

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
14	14	<u>Set:</u> 1250 - 2450	Greenline 100 % PEFC certified	S19	Per 6 doors
14	17	<u>Set:</u> 1250 - 2450	Greenline 100 % PEFC certified	S19	Per 6 doors
15	17	<u>Set:</u> 1250 - 2450	Greenline 100 % PEFC certified	S19	Per 6 doors
18	18	<u>Set:</u> 1080 - 2300	Greenline 100 % PEFC certified	S19	Per 6 doors
22	22	<u>Set:</u> 1250 - 2450	Greenline 100 % PEFC certified	S19	Per 6 doors
25	25	<u>Set:</u> 1070 - 2150	Greenline 100 % PEFC certified	S19	Per 6 doors
13	13	<u>Set:</u> 1070 - 2150	A-Grade	S19	Per 6 doors
13	14	<u>Set:</u> 1070 - 2150	A-Grade	S19	Per 6 doors
14	15	<u>Set:</u> 1070 - 2150	A-Grade	S19	Per 6 doors
15	15	<u>Set:</u> 1070 - 2150	A-Grade	S19	Per 6 doors
15	17	<u>Set:</u> 1070 - 2150 1050 - 2750 <u>Fixed length:</u> 3050	A-Grade	S19	Per 6 doors
22	22	<u>Set:</u> 1080 - 2150/2300	A-Grade	S19	15 pcs
22	25	<u>Set:</u> 1070 - 2150	A-Grade	S19	Per 6 doors
25	25	<u>Set:</u> 1070 - 2150	A-Grade	S19	Per 6 doors



DENDERWOOD

HARDWOOD MOULDINGS
+ FACADES



DDW

DOORSTOPS - S19



RED PALAPI

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
13	13	<u>Set:</u> 1070 - 2150	A-Grade	S19	Per 6 doors
13	14	<u>Set:</u> 1070 - 2150	A-Grade	S19	Per 6 doors
14	15	<u>Set:</u> 1070 - 2150	A-Grade	S19	Per 6 doors
22	22	<u>Set:</u> 1070 - 2150	A-Grade	S19	Per 6 doors



QUARTERROUND SLATS - 19K



MERBAU

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
15	15	<u>Fixed lengths:</u> 1800 / 2100	A-Grade	19K	



Skirtings

SKIRTING - P9

AFZELIA DOUSSIE BIPINDENSIS

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
12	68	<u>Fixed length:</u> 2150 / 3300	Prime	P9	5 pcs in foil

DARK RED MERANTI

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
11	68	<u>Variable lengths:</u> 2450 - 6100	Greenline 100 % PEFC certified	P9	5 pcs in foil

JATOBA

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
12	68	<u>Fixed length:</u> 2100	A-Grade	P9	5 pcs with string
15	65	<u>Fixed length:</u> 2150	A-Grade	P9	5 pcs with string

MERBAU

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
12	68	<u>Variable lengths:</u> 2750 / 3050	A-Grade	P9	5 pcs with string
15	65	<u>Fixed lengths:</u> 1800 / 2100 / 2400	A-Grade	P9	5 pcs with string



SKIRTING - P9

MERANTI FINEER

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
10	70	<u>Fixed length:</u> 2250	A-Grade	P9	

PALISSANDER

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
15	65	<u>Variable lengths:</u> 1500 - 2100	Prime	P9	

TEAK

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
12	70	<u>Fixed length:</u> 2100	A-Grade	P9	5 pcs with string
15	65	<u>Fixed length:</u> 2100	A-Grade	P9	5 pcs with string



SKIRTING - P91

AFZELIA DOUSSIE BIPINDENSIS

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
12	58	<u>Variable lengths:</u> 2150 - 2750	Prime	P91	

DARK RED MERANTI

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
12	68	<u>Variable lengths:</u> 2450 - 6100	Greenline 100 % PEFC certified	P91	10 pcs in foil
11	68	<u>Variable lengths:</u> 2450 - 6100	A-Grade	P91	

SKIRTING - P5

DARK RED MERANTI

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
12	68	<u>Variable lengths:</u> 2450 - 6100	Greenline 100 % PEFC certified	P5	5 pcs in foil
11	68	<u>Variable lengths:</u> 2450 - 6100 <u>Fixed length:</u> 2150	A-Grade	P5	5 pcs with string

RED PALAPI

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
11	68	<u>Variable lengths:</u> 2750 - 3950	A-Grade	P5	5 pcs in foil



SKIRTING - P4



DARK RED MERANTI

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
12	94	<u>Variable lengths:</u> 2450-6100	Greenline 100 % PEFC certified	P4	5 pcs in foil



Weatherboards

PROFILE - S12



AFRORMOSIA

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
20	145	<u>Variable lengths:</u> 1300 - 5250	Prime	S12	Pallet in foil
20	170	<u>Variable lengths:</u> 1300 - 5450	Prime	S12	Pallet in foil
20	190	<u>Variable lengths:</u> 1250 - 4550	Prime	S12	Pallet in foil

AFZELIA DOUSSIE BIPINDENSIS

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
20	145	<u>Variable lengths:</u> 1250 - 3650	Prime	S12	Pallet in foil
20	165	<u>Variable lengths:</u> 1250 - 3650	Prime	S12	Pallet in foil
20	190	<u>Variable lengths:</u> 1250 - 3650	Prime	S12	Pallet in foil



PROFILE - S12



DARK RED MERANTI

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
20	120	<u>Variable lengths:</u> 3050 - 5800	Greenline 100 % PEFC certified	S12	Pallet in foil
20	45	<u>Variable lengths:</u> 2150 - 4900	A-Grade	S12-45	Pallet in foil
20	145	<u>Variable lengths:</u> 2150 - 4900	A-Grade	S12	Pallet in foil
20	170	<u>Variable lengths:</u> 2150 - 4900	A-Grade	S12	Pallet in foil
20	190	<u>Variable lengths:</u> 2150 - 4900	A-Grade	S12	Pallet in foil



PROFILE - S12



MERANTI GERUTU

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
20	145	<u>Variable lengths:</u> 2150 - 5200	A-Grade	S12	Pallet in foil
20	170	<u>Variable lengths:</u> 2150 - 6400	A-Grade	S12	Pallet in foil
20	190	<u>Variable lengths:</u> 3050 - 6100	A-Grade	S12	Pallet in foil
20	190	<u>Variable lengths:</u> 4900 - 6700	A-Grade	S12	Pallet in foil
20	220	<u>Variable lengths:</u> 2450 - 6100	A-Grade	S12	Pallet in foil
20	240	<u>Variable lengths:</u> 2450 - 6100	A-Grade	S12	Pallet in foil
20	290	<u>Variable lengths:</u> 2450 - 6100	A-Grade	S12	Pallet in foil

PADOUK

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
20	145	<u>Variable lengths:</u> 1250 - 4550	Sorted	S12	Pallet in black foil
20	170	<u>Variable lengths:</u> 1250 - 4550	Sorted	S12	Pallet in black foil
20	190	<u>Variable lengths:</u> 1250 - 4250	Sorted	S12	Pallet in black foil
20	220	<u>Variable lengths:</u> 1250 - 4250	Sorted	S12	Pallet in black foil



PROFILE - S13

MERANTI GERUTU

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
20	145	<u>Variable lengths:</u> 2450 - 6400	A-Grade	S13	Pallet in foil
20	240	<u>Variable lengths:</u> 2450 - 6400	,	S13	Pallet in foil

PROFILE - M809



DARK RED MERANTI

Thickness mm	Width mm	Length mm	Quality	Profile	Packing
31	210	<u>Variable lengths:</u> 3050 - 5450	A-Grade	M809	Pallet in foil

PROFILE - M803

DARK RED MERANTI

Dikte mm	Breedte mm	Langte mm	Kwaliteit	Profiel	Verpakking
21	32	<u>Variable lengths:</u> 2150 - 6100	Greenline 100 % PEFC certified	M803	