

## SOLID WOOD FLOORING



### EXCLUSIVE HIGH END FLOORING IN TROPICAL HARDWOOD

- \* Compliant with the European Timber Regulation (EUTR)
- \* Also available with eco-certificate (FSC®, PEFC)
- \* Compliant with CE standard

Tropical hardwood is renewable, natural and has a warm appearance

T&G on 4 sides ( with or without bevel )

Available in different finishes: unfinished, oiled, UV lacquered

Other finishes available on demand

### PACKING

- \* "Standard" packing for the professional parquet trade (bulk)
- \* "Uni, pulled to length" packing for the woodshops or DIY (carton boxes)



Het keurmerk voor  
verantwoord bosbeheer





# SOLID WOOD FLOORING



## Content

### **Solid parquet unfinished**

Afrormosia	p4
Kempas	p4
Keruing	p5
KSK Asian oak	p5
Mahonia	p6
Merbau	p7
Padouk	p9
Palissander / Rosewood	p9
Teak	p10

### **Solid parquet factory finished**

Afrormosia	p11
Oak	p12
Jatoba	p13
KSK Asian oak	p13
KerANJI	p14
Merbau	p15
Padouk	p16
Palissander / Rosewood	p17
Teak	p18



## SOLID WOOD FLOORING



### G00 - G02 - G04 - GSD



G00: Square edge



G02: Bevel on 2 long sides



G04: Bevel on 4 sides



GSD: Shipdeck

**Solid parquet unfinished**

**AFRORMOSIA (Pericopsis elata)**

Cameroon, DRC, CAR

Class 1  
740 kg/m<sup>3</sup>



Thickness mm	Width mm	Profile	Length mm	Packing	m <sup>2</sup> / Box
15	120	G02	<u>Variable lengths:</u> 450 - 1200	Uni	2,64m <sup>2</sup>

Thickness mm	Width mm	Profile	Length mm	Packing	m <sup>2</sup> / Box
14	20	G00 Industrial	<u>Fixed length:</u> 280	Standard	Bulk

**KEMPAS (Koompassia malaccensis) - FSC 100 %**

Indonesia

Class II  
880 kg/m<sup>3</sup>



Thickness mm	Width mm	Profile	Length mm	Packing	m <sup>2</sup> / Box
15	90	G02	<u>Variable lengths:</u> 450 - 1200	Uni	1,404m <sup>2</sup>

**KERUING FSC 100 %**



Class II  
880 kg/m<sup>3</sup>

Thickness mm	Width mm	Profile	Length mm	Packing	m <sup>2</sup> / Box
21	70	G00	<u>Variable lengths:</u> 600-1250	Standard	Bulk

**KSK OAK (Asian oak, Kembang semangkok) - 100 % PEFC certified**

Malaysia



Class II  
630 kg/m<sup>3</sup>

Thickness mm	Width mm	Profile	Length mm	Packing	m <sup>2</sup> / Box
13	115	G04	<u>Variable lengths:</u> 350 -1200 <u>Fixed lengths:</u> 1800 - 1900 - 2000 - 2100	Uni Standard	Bulk

## MAHONIA (Swietenia mahagoni)

*Fiji*



Class II  
655 kg /m<sup>3</sup>

Thickness mm	Width mm	Profile	Length mm	Packing	m <sup>2</sup> / Box
15	85	G00	<u>Variable lengths:</u> 600 - 1500	Standard	Bulk

## MERBAU (Instia bijuga)

Indonesia



Class I / II  
830 kg/m<sup>3</sup>

Thickness mm	Width mm	Profile	Length mm	Packing	m <sup>2</sup> / Box
14	90	G00	<u>Variable lengths:</u> 300 - 1200	Uni	1,404m <sup>2</sup>
14	90	G02	<u>Variable lengths:</u> 300 - 1200  <u>Fixed lengths:</u> 1000 - 1100 - 1200	Uni  Standard	1,404m <sup>2</sup>  Bulk
14	90	G04	<u>Variable lengths:</u> 600 - 1200	Uni	1,404m <sup>2</sup>
14	120	G02	<u>Variable lengths:</u> 300 - 1800  <u>Fixed lengths:</u> 1500 - 2100	Uni  Standard	1,32m <sup>2</sup>  Bulk
14	140	G00	<u>Variable lengths:</u> 400 - 2200	Uni	1,54m <sup>2</sup>
14	140	G02	<u>Variable lengths:</u> 400 - 2200	Uni	1,54m <sup>2</sup>
14	165	G02	<u>Variable lengths:</u> 1000 - 2000	Standard	Bulk



# SOLID WOOD FLOORING



## MERBAU (Instia bijuga)

Indonesia

Thickness mm	Width mm	Profile	Length mm	Packing	m <sup>2</sup> / Box
20	80	G00	<u>Variable lengths:</u> 600 - 2000	Standard	Bulk
20	90	G00	<u>Variable lengths:</u> 700 - 1500	Standard	Bulk
20	120	G00	<u>Variable lengths:</u> 600 - 2000	Uni	1,32m <sup>2</sup>
20	120	G04	<u>Variable lengths:</u> 900 - 1800	Uni	1,32m <sup>2</sup>
20	140	G02	<u>Variable lengths:</u> 1000 - 1800	Uni	1,54m <sup>2</sup>
20	190	G02	<u>Variable lengths:</u> 1000 - 1800	Standard	Bulk

14	14	G00 Industrial	<u>Fixed length:</u> 220	Standard	Bulk
14	20	G00 Industrial	<u>Fixed length:</u> 250	Standard	Bulk
15	20	G00 Industrial	<u>Fixed length:</u> 300	Standard	Bulk
15	130	G00 T&G Industrieel	<u>Fixed length:</u> 900	Standard	Bulk
20	14	G00 Industrial	<u>Fixed lengths:</u> 250 en 280	Standard	Bulk



## PADOUK (Pterocarpus soyauxii)

Cameroon, Gabon



Class I  
820 kg/m<sup>3</sup>

Thickness mm	Width mm	Profile	Length mm	Packing	m <sup>2</sup> / Box
14	165	G00	<u>Fixed length:</u> 2200	Uni	1,815m <sup>2</sup>
14	165	G02	<u>Fixed length:</u> 1500	Uni	1,815m <sup>2</sup>

## PALISSANDER / ROSEWOOD (Dalbergia Latifolia)

Indonesia



Class I  
975 kg / m<sup>3</sup>

Thickness mm	Width mm	Profile	Length mm	Packing	m <sup>2</sup> / Box
15	90	G00	<u>Variable lengths:</u> 300 - 950	Standard	Bulk

## TEAK (Tectona grandis)

Indonesia



Class I  
650 kg /m<sup>3</sup>

Thickness mm	Width mm	Profile	Length mm		Packing	m <sup>2</sup> / Box
14	120	G00	<u>Variable lengths:</u> 450 - 1200	<b>FSC 100 %</b>	Standard	Bulk

15	90	G00	<u>Variable lengths:</u> 300 - 1200	A-Grade	Uni 1200 Uni 1800	2,106m <sup>2</sup> 1,48 m <sup>2</sup>
15	90	G00	<u>Fixed lengths:</u> 1000-1100	AAA-Grade	Standard	Bulk
15	120	G00	<u>Variable lengths:</u> 300-1200	A-Grade	Uni	1,44 m <sup>2</sup> 2,16m <sup>2</sup>
15	120	G00	<u>Fixed lengths:</u> 800 -1200	AAA-Grade	Standard	Bulk
15	120	G00	<u>Variable lengths:</u> 450-1200	AAA-Grade	Uni 1200 Uni 1800	1,44 m <sup>2</sup> 2,16m <sup>2</sup>
15	150	G02	<u>Fixed lengths:</u> 900 - 1800	A-Grade	Standard	Bulk

14	14	G00 Industrial	<u>Fixed length:</u> 280		Standard	Bulk
23	8	G00 Industrial	<u>Fixed length:</u> 280		Standard	Bulk

15	120	G00 layers 2	<u>Fixed lengths:</u> 600-2000		Standard	Bulk
15	140	G00 layers 2	<u>Fixed lengths:</u> 1000-1800		Standard	Bulk

**Solid parquet factory finished**

**AFRORMOSIA (Pericopsis elata)**

Cameroon, DRC, CAR

Class I  
740 kg/m<sup>3</sup>



Thickness mm	Width mm	Profile	Length mm		Packing	m <sup>2</sup> / Box
15	90	G04	<u>Variable lengths:</u> 300 - 1200	UV lacquered	Uni	1,404m <sup>2</sup>
15	120	G04	<u>Variable lengths:</u> 300 - 1200	UV lacquered	Uni	2,64m <sup>2</sup>

## OAK

Class II  
920 kg/m<sup>3</sup>



Thickness mm	Width mm	Profile	Length mm		Packing	m <sup>2</sup> / Box
14	98	Herringbone	<u>Fixed length:</u> 550	UV brushed AB	Uni	1,2865m <sup>2</sup>
14	190	G04, 14/3	<u>Variable lengths:</u> 600 - 1900	UV brushed 2 tones AB	Uni	2,508m <sup>2</sup>
14	190	G04, 14/3	<u>Variable lengths:</u> 400 - 1800	Mat lacquered AB	Uni	2,508m <sup>2</sup>

15	150	G04 15/4 ABCD	<u>Variable lengths:</u>	Brushed UV invisible	Uni	
15	150	G04 15/4 ABCD	<u>Variable lengths:</u>	Brushed UV natural	Uni	
15	150	G04 15/4 ABCD	<u>Variable lengths:</u>	Brushed white oiled	Uni	
15	180	G04 15/4	<u>Fixed length:</u> 1800	Brushed white oiled	Uni	

## JATOBA (Hymenaea courbaril L.)

Brazil



Class I / II  
900 kg / m<sup>3</sup>

Thickness mm	Width mm	Profile	Length mm		Packing	m <sup>2</sup> / Box
15	180	Multiply	<u>Fixed length:</u> 2200	Sanded	Uni	1,19 m <sup>2</sup>
15	180	Multiply	<u>Fixed length:</u> 2200	UV mat lacquered	Uni	1,19 m <sup>2</sup>
15	190	Multiply	<u>Fixed length:</u> 2200	Sanded	Uni	1,254 m <sup>2</sup>
15	190	Multiply	<u>Fixed length:</u> 2200	UV mat lacquered	Uni	1,254 m <sup>2</sup>

## KSK OAK (Asian oak, Kembang semangkok) - 100 % PEFC certified

Malaysia




Class II  
630 kg/m<sup>3</sup>

Thickness mm	Width mm	Profile	Length mm		Packing	m <sup>2</sup> / Box
13	115	G04	<u>Variable lengths:</u> 350 - 2000 <u>Fixed lengths:</u> 1100 / 1400 / 1600 / 1800 / 2000	White wash mat lacquer	Standard	Bulk
13	115	G04	<u>Fixed lengths:</u> 400 / 500 / 700 / 800 / 900 / 1000 / 1100 / 1200	White oiled	Standard	Bulk

**KERANJI** (*Dialium* spp. Leguminosae)

*Indonesia*

Class III  
1000 kg / m<sup>2</sup>



Thickness mm	Width mm	Profile	Length mm		Packing	m <sup>2</sup> / Box
15	90	G04	<u>Variable lengths:</u> 300 - 1200	UV lacquered	Uni	1,404 m <sup>2</sup>

## MERBAU (Instia bijuga)

Indonesia



Class I / II  
830 kg/m<sup>3</sup>

Thickness mm	Width mm	Profile	Length mm		Packing	m <sup>2</sup> / Box
10	70	G04	<u>Variable lengths:</u> 300 - 1200	UV lacquered	Uni	1,68m <sup>2</sup>

14	90	G04	<u>Variable lengths:</u> 300 - 1200	UV lacquered	Uni	1,404 m <sup>2</sup>
14	90	G04	<u>Variable lengths:</u> 600 - 1200	Oiled	Uni	1,404 m <sup>2</sup>
14	120	G04	<u>Variable lengths:</u> 600-2200 <u>Fixed lengths:</u> 1700-2100	UV lacquered	Uni Standard	1,32m <sup>2</sup>
14	140	G04	<u>Variable lengths:</u> 600 - 2200	UV lacquered	Uni	1,54m <sup>2</sup>
14	140	G04	<u>Fixed lengths:</u> 1700 - 2100	UV lacquered	Uni	1,54m <sup>2</sup>
14	140	G04	<u>Variable lengths:</u> 600 - 2200	UV lacquered <a href="#">WENGE</a> <a href="#">COLOUR</a>	Uni	1,54m <sup>2</sup>

## PADOUK (Pterocarpus soyauxii)

Cameroon, Gabon



Class I  
820 kg/m<sup>3</sup>

Thickness mm	Width mm	Profile	Length mm		Packing	m <sup>2</sup> / Box
14	90	G04	<u>Variable lengths:</u> 300 - 1200	UV lacquered	Uni	1,404 m <sup>2</sup>
14	120	G04	<u>Variable lengths:</u> 300 - 1200	UV lacquered	Uni	1,152m <sup>2</sup>
14	140	G04	<u>Variable lengths:</u> 600 - 2200	UV lacquered	Uni	1,47m <sup>2</sup>



## PALISSANDER / ROSEWOOD (Dalbergia Latifolia)

Indonesia

Class I  
975 kg / m<sup>3</sup>



Thickness mm	Width mm	Profile	Length mm		Packing	m <sup>2</sup> / Box
15	90	G04	<u>Variable lengths:</u> 300-1200	UV lacquered	Standard	Bulk
15	120	G04	<u>Variable lengths:</u> 300-1200	UV lacquered	Standard	Bulk

## TEAK (Tectona grandis)

Indonesia



Class I  
650 kg /m<sup>3</sup>

Thickness mm	Width mm	Profile	Length mm		Packing	m <sup>2</sup> / Box
12	70	Shipdeck sika joint	<u>Variable lengths:</u> 300-1200	AAA-Grade Pre oiled	Uni	1,68m <sup>2</sup>
12	90	Shipdeck sika joint	<u>Variable lengths:</u> 300-1200	AAA-Grade Pre oiled	Uni	

14	90	G04	<u>Variable lengths:</u> 300-1200	A-Grade <b>FSC 100 %</b> UV lacquered	Uni	1,404m <sup>2</sup>
----	----	-----	--------------------------------------	---------------------------------------------	-----	---------------------

15	90	G04	<u>Variable lengths:</u> 300 - 1200	A-Grade UV oiled	Uni	1,404m <sup>2</sup>
15	90	G04	<u>Variable lengths:</u> 300 - 1200	A-Grade UV lacquered	Uni	1,404m <sup>2</sup>
15	90	G04	<u>Variable lengths:</u> 300 - 1200	B-grade <b>STAINED</b> UV lacquered	Uni	1,404m <sup>2</sup>
15	120	G04	<u>Variable lengths:</u> <u>300- 1200</u>	A-Grade UV lacquered	Uni 1800	2,16 m <sup>2</sup>
15	120	G04	<u>Variable lengths:</u> 450-1200	AAA-Grade UV lacquered	Standard	Bulk
15	120	G04	<u>Variable lengths:</u> 300 - 1200	B-grade <b>STAINED</b> UV lacquered	Uni	1,440 m <sup>2</sup>